




NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	R				A (width)	B (height)	T (thickness)	R	
1	PIP-0176	12.0	12.0	1.00		0.131	41	PIP-0229	30.0	20.0	3.00		0.787
2	PIP-0258	12.0	12.0	1.20		0.154	42	PIP-0199	30.0	25.0	1.00		0.315
3	PIP-0231	15.0	5.8	1.20		0.131	43	PIP-0031	30.0	25.0	3.00	2.00	0.873
4	PIP-0001	15.0	15.0	1.50		0.241	44	PIP-0032	30.0	30.0	1.20		0.410
5	PIP-0002	15.9	15.9	1.25	0.38	0.218	45	PIP-0033	30.0	30.0	2.00	0.50	0.666
6	PIP-0003	16.0	16.0	1.20	0.50	0.211	46	PIP-0034	30.0	30.0	3.00	4.00	0.924
7	PIP-0004	18.0	18.0	1.00	2.00	0.195	47	PIP-0035	31.0	20.0	3.00	3.00	0.802
8	PIP-0005	18.0	18.0	2.00	2.00	0.381	48	PIP-0036	32.0	32.0	3.00	2.00	1.040
9	PIP-0006	19.1	19.1	1.40	0.40	0.293	49	PIP-0162	35.0	35.0	1.20		0.482
10	PIP-0007	20.0	10.0	1.20		0.197	50	PIP-0226	36.4	31.4	3.00	2.00	1.091
11	PIP-0178	20.0	10.0	0.90	0.50	0.151	51	PIP-0037	37.0	37.0	1.30	2.00	0.542
12	PIP-0008	20.0	15.0	1.50		0.286	52	PIP-0038	38.1	38.1	1.90		0.817
13	PIP-0009	20.0	17.0	1.50		0.303	53	PIP-0039	38.1	38.1	3.00	0.40	1.250
14	PIP-0010	20.0	20.0	1.30		0.286	54	PIP-0040	38.1	38.1	3.18	3.18	1.291
15	PIP-0016	20.0	20.0	2.00	2.00	0.487	55	PIP-0041	38.1	38.1	3.18	0.40	1.319
16	PIP-0011	22.0	20.0	1.20		0.283	56	PIP-0263	40.0	6.0	1.50		0.383
17	PIP-0191	22.5	12.0	1.50		0.281	57	PIP-0212	40.0	18.0	1.50		0.493
18	PIP-0012	24.0	20.0	1.20		0.297	58	PIP-0042	40.0	20.0	1.10		0.374
19	PIP-0238	24.0	14.8	2.00	0.50	0.416	59	PIP-0147	40.0	20.0	1.10		0.344
20	PIP-0013	24.5	22.0	1.10		0.289	60	PIP-0043	40.0	20.0	1.20		0.410
21	PIP-0014	25.0	15.0	1.50		0.330	61	PIP-0044	40.0	20.0	1.50	0.50	0.508
22	PIP-0015	25.0	17.0	1.50		0.348	62	PIP-0045	40.0	20.0	2.00		0.666
23	PIP-0017	25.0	25.0	1.20		0.339	63	PIP-0184	40.0	20.0	3.00	0.50	0.963
24	PIP-0018	25.0	25.0	1.50		0.419	64	PIP-0046	40.0	20.0	4.00		1.235
25	PIP-0019	25.0	25.0	3.00	2.00	0.784	65	PIP-0048	40.0	25.0	3.00	2.00	1.042
26	PIP-0241	25.0	25.0	3.00	1.00	0.784	66	PIP-0148	40.0	30.0	1.10		0.450
27	PIP-0021	25.4	25.4	1.40	0.40	0.398	67	PIP-0050	40.0	30.0	2.00	1.00	0.782
28	PIP-0022	25.4	25.4	2.29		0.628	68	PIP-0049	40.0	30.0	2.00		0.784
29	PIP-0023	25.4	25.4	3.00	3.00	0.799	69	PIP-0246	40.0	30.0	2.00		0.787
30	PIP-0024	25.4	25.4	3.18	0.40	0.839	70	PIP-0051	40.0	30.0	4.00	3.00	1.473
31	PIP-0201	26.0	15.0	1.00		0.232	71	PIP-0182	40.0	38.5	1.10	0.50	0.498
32	PIP-0025	26.0	18.0	2.00		0.475	72	PIP-0222	40.0	40.0	1.10		0.509
33	ETC-0757	27.7	27.7	1.00	4.50	0.410	73	PIP-0223	40.0	40.0	4.00	2.00	1.703
34	PIP-0026	28.0	14.0	1.30	1.00	0.301	74	PIP-0047	45.0	25.0	2.00		0.784
35	PIP-0027	28.0	14.0	1.60		0.369	75	PIP-0264	44.5	44.5	4.00	1.50	1.925
36	PIP-0232	30.0	11.0	1.20		0.275	76	PIP-0163	45.0	45.0	1.20		0.625
37	PIP-0028	30.0	15.0	1.00		0.255	77	PIP-0219	45.0	45.0	2.50		1.263
38	PIP-0175	30.0	15.0	0.90		0.231	78	PIP-0152	50.0	15.0	1.10		0.410
39	PIP-0183	30.0	18.0	1.20	3.00	0.310	79	PIP-0220	50.0	25.0	1.30		0.559
40	PIP-0030	30.0	20.0	1.20	5.00	0.312	80	PIP-0052	50.0	25.0	1.60		0.689




NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	R				A (width)	B (height)	T (thickness)	R	
81	PIP-0234	50.0	25.0	3.00		1.235	121	PIP-0077	76.2	50.8	3.20		2.276
82	PIP-0217	50.0	30.0	3.00	0.50	1.341	122	PIP-0078	76.2	76.2	6.35	0.40	5.269
83	PIP-0054	50.0	30.8	1.60		0.737	123	PIP-0205	79.0	60.0	3.00		2.371
84	PIP-0055	50.0	38.5	2.00		1.014	124	PIP-0164	80.0	30.0	1.10	0.50	0.704
85	PIP-0056	50.0	45.0	3.00		1.609	125	PIP-0080	80.0	30.0	2.00		1.260
86	PIP-0169	50.0	50.0	1.10		0.639	126	PIP-0081	80.0	30.0	3.20		1.969
87	PIP-0230	50.0	50.0	3.00		1.675	127	PIP-0153	80.0	35.0	1.10		0.737
88	PIP-0247	50.8	50.8	3.18	0.40	1.799	128	PIP-0165	80.0	35.0	1.10	0.50	0.737
89	PIP-0243	50.8	50.8	6.35	0.40	3.353	129	PIP-0082	80.0	35.0	1.50		0.999
90	PIP-0225	52.0	46.0	8.00	2.00	3.893	130	PIP-0083	80.0	40.0	1.40		0.975
91	PIP-0057	53.0	33.0	1.08	2.00	0.530	131	PIP-0084	80.0	45.0	2.00		1.438
92	PIP-0059	53.0	53.0	1.00	2.00	0.618	132	PIP-0208	80.0	60.0	1.50	1.00	1.221
93	PIP-0058	55.0	35.0	1.00		0.523	133	PIP-0085	80.0	65.0	3.50		2.869
94	PIP-0060	57.2	57.2	2.40		1.561	134	PIP-0166	80.0	80.0	1.20		1.123
95	PIP-0061	58.0	25.0	1.30	2.50	0.608	135	PIP-0086	80.0	80.0	2.00		1.854
96	PIP-0181	60.0	15.0	1.30		0.559	136	PIP-0213	80.0	80.0	2.50		2.302
97	PIP-0062	60.0	30.0	2.50		1.265	137	PIP-0170	80.0	80.0	4.00	4.00	3.611
98	PIP-0063	60.0	40.0	2.00	0.50	1.141	138	PIP-0173	81.0	65.0	1.20		1.024
99	PIP-0218	60.0	50.0	4.00	0.50	2.464	139	PIP-0216	82.0	60.0	1.50		1.241
100	PIP-0064	60.0	60.0	2.00		1.381	140	PIP-0194	85.0	85.0	2.80		2.737
101	PIP-0065	60.0	60.0	3.00		2.032	141	PIP-0196	86.0	86.0	2.50		2.483
102	PIP-0066	60.0	60.0	4.00		2.661	142	PIP-0174	89.0	89.0	1.50		1.560
103	PIP-0067	62.0	25.0	2.00		0.956	143	PIP-0088	90.0	23.0	3.00		1.906
104	PIP-0252	62.3	30.0	2.50	4.00	1.264	144	PIP-0255	90.0	45.0	2.00	3.00	1.536
105	PIP-0256	63.5	63.5	3.18	0.40	2.276	145	PIP-0154	90.0	80.0	2.00	3.00	1.951
106	PIP-0068	64.0	38.5	2.00		1.180	146	PIP-0089	90.0	90.0	3.00		3.101
107	PIP-0251	64.0	45.0	3.00		1.846	147	PIP-0192	96.0	56.0	3.00		2.602
108	PIP-0069	66.0	20.0	1.00		0.498	148	PIP-0240	97.5	71.0	3.00		2.896
109	PIP-0262	69.6	53.4	1.80	8.00	1.211	149	PIP-0244	100.0	15.0	1.10		0.739
110	PIP-0070	70.0	30.0	1.10		0.638	150	PIP-0090	100.0	35.0	1.10		0.870
111	PIP-0071	70.0	30.0	1.30		0.752	151	PIP-0091	100.0	35.0	3.00	3.00	2.299
112	PIP-0072	70.0	50.0	2.00	0.50	1.378	152	PIP-0157	100.0	45.0	1.10	0.50	0.933
113	PIP-0180	70.0	50.0	2.00		1.378	153	PIP-0260	100.0	45.0	1.35	0.50	1.141
114	PIP-0248	70.0	55.0	2.00	1.00	1.438	154	PIP-0209	100.0	45.0	2.00	1.00	1.675
115	PIP-0073	70.0	70.0	1.10		0.901	155	PIP-0158	100.0	45.0	2.50		2.079
116	PIP-0074	70.0	70.0	3.00		2.388	156	PIP-0159	100.0	45.0	3.00		2.477
117	PIP-0195	75.0	50.0	2.50		1.784	157	PIP-0092	100.0	50.0	5.00		4.158
118	PIP-0185	75.0	50.0	7.00	0.50	4.616	158	PIP-0186	100.0	50.0	7.00	0.50	5.655
119	PIP-0075	76.0	38.5	3.00		1.956	159	PIP-0093	100.0	65.0	4.00		3.730
120	PIP-0076	76.0	76.0	3.00	0.50	2.602	160	PIP-0131	100.0	65.0	4.00		3.730




NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)				Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	R				A (width)	B (height)	T (thickness)	R	
161	PIP-0094	100.0	75.0	2.50		2.526	201	PIP-0115	120.0	120.0	1.80		2.528
162	PIP-0160	100.0	100.0	1.20		1.408	202	PIP-0116	120.0	120.0	2.50	0.50	3.493
163	PIP-0095	100.0	100.0	2.00		2.331	203	PIP-0187	125.0	50.0	7.00	0.50	6.695
164	PIP-0096	100.0	100.0	2.30		2.670	204	PIP-0117	125.0	125.0	5.00	1.00	7.128
165	PIP-0097	100.0	100.0	4.00		4.562	205	PIP-0118	128.0	128.0	2.50		3.728
166	PIP-0215	100.0	100.0	5.00	3.00	5.748	206	PIP-0177	130.0	30.0	1.30	3.70	1.196
167	PIP-0227	100.0	100.0	6.50		7.220	207	PIP-0156	130.0	45.0	1.20	1.00	1.230
168	PIP-0253	100.0	100.0	6.50	6.50	7.113	208	PIP-0202	130.0	60.0	1.50		1.667
169	PIP-0100	101.6	50.8	3.20		2.754	209	PIP-0119	130.0	60.0	2.00		2.210
170	PIP-0101	101.6	50.8	6.35	0.50	5.269	210	PIP-0198	130.0	60.0	2.50		2.748
171	PIP-0190	101.0	101.0	3.00		3.266	211	PIP-0239	134.0	134.0	2.20		3.447
172	PIP-0242	101.6	101.6	3.20		3.741	212	PIP-0236	140.0	45.0	3.50	1.50	3.700
173	PIP-0099	101.6	101.6	6.35	0.40	7.185	213	PIP-0120	140.0	140.0	2.50	3.00	4.084
174	PIP-0102	102.0	60.5	2.50		2.344	214	PIP-0121	140.0	140.0	4.00	0.50	6.463
175	PIP-0204	103.0	60.0	2.00		1.889	215	PIP-0128	150.0	30.0	1.50		1.577
176	PIP-0224	107.5	77.0	5.00		5.189	216	PIP-0129	150.0	60.0	1.70		2.089
177	PIP-0167	108.0	38.0	3.00		2.497	217	PIP-0261	150.0	60.0	1.60		1.966
178	PIP-0189	109.0	45.0	3.00		2.638	218	PIP-0130	150.0	60.0	2.00		2.448
179	PIP-0245	110.0	30.0	2.00		1.618	219	PIP-0197	150.0	60.0	3.00		3.638
180	PIP-0161	110.0	45.0	1.10		1.001	220	PIP-0132	150.0	75.0	2.50		3.267
181	PIP-0104	112.0	62.0	5.00		4.871	221	PIP-0122	150.0	130.0	4.00	6.50	6.463
182	PIP-0203	114.0	60.0	1.50		1.525	222	PIP-0123	150.0	130.0	8.00	5.00	12.484
183	PIP-0105	114.3	114.3	6.35		8.143	223	PIP-0125	150.0	150.0	2.00		3.519
184	PIP-0233	114.5	41.5	3.00		2.673	224	PIP-0126	150.0	150.0	3.00		5.239
185	PIP-0106	115.0	45.0	1.10		1.033	225	PIP-0228	150.0	150.0	6.00		10.264
186	PIP-0145	115.0	115.0	1.20	0.70	1.621	226	PIP-0127	150.0	150.0	8.00	5.00	13.496
187	PIP-0206	118.0	60.0	2.50		2.570	227	PIP-0134	152.4	50.8	3.20		3.741
188	PIP-0107	120.0	45.0	1.10		1.064	228	PIP-0136	152.4	152.0	3.18	0.40	5.638
189	PIP-0108	120.0	45.0	1.35		1.302	229	PIP-0133	152.4	152.4	3.18		5.638
190	PIP-0098	120.0	100.0	1.50		1.936	230	PIP-0249	170.0	60.0	2.30		3.082
191	PIP-0211	120.0	25.0	2.00		1.675	231	PIP-0137	170.0	150.0	8.00	5.00	14.385
192	PIP-0214	120.0	30.0	1.35		1.184	232	PIP-0138	180.0	35.0	1.80		2.263
193	PIP-0210	120.0	45.0	1.20	1.00	1.218	233	PIP-0139	180.0	40.0	2.00	1.00	2.564
194	PIP-0109	120.0	45.0	1.50		1.443	234	PIP-0254	194.0	106.0	2.50		4.387
195	PIP-0257	120.0	50.0	3.00	2.00	2.913	235	PIP-0259	200.0	64.0	7.00	5.00	10.332
196	PIP-0193	120.0	60.0	1.35		1.425	236	PIP-0140	200.0	150.0	6.00	1.00	12.046
197	PIP-0207	120.0	60.0	1.50	1.00	1.577	237	PIP-0141	203.2	203.2	4.78	1.00	11.267
198	PIP-0111	120.0	60.0	1.60		1.683	238	PIP-0142	206.0	166.0	18.00	1.00	36.496
199	PIP-0112	120.0	60.0	2.00		2.093	239	PIP-0143	210.0	90.0	7.00	3.00	11.933
200	PIP-0113	120.0	60.0	2.80		2.903	240	PIP-0145	240.0	75.0	3.50	1.00	6.401




NO	DIE NO.	SIZE (mm)					Unit wei. (KG/M)	NO	DIE NO.	SIZE (mm)					Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	a	b				A (width)	B (height)	T (thickness)	a	b	
1	ANG-0001	12.0	12.0	1.10			0.075	41	ANG-0024	33.0	23.0	3.00			0.472
2	ANG-0002	15.0	15.0	2.00			0.166	42	ANG-0111	33.0	33.0	3.00			0.559
3	ANG-0113	15.0	15.0	2.50			0.205	43	ANG-0025	35.0	35.0	2.50			0.502
4	ANG-0146	18.0	10.0	1.00			0.079	44	ANG-0026	38.0	20.0	1.20			0.202
5	ANG-0105	19.0	19.0	1.10			0.121	45	ANG-0106	38.0	38.0	1.30	0.50		0.259
6	ANG-0004	19.0	19.0	2.00			0.213	46	ANG-0028	38.0	38.0	1.60	0.50		0.353
7	ANG-0005	20.0	10.0	2.00			0.166	47	ANG-0029	38.1	38.1	3.18	3.18	4.78	0.691
8	ANG-0003	20.0	15.0	1.50			0.150	48	ANG-0030	38.1	38.1	4.76	3.18	4.78	1.012
9	ANG-0006	20.0	15.0	1.50			0.154	49	ANG-0031	38.1	38.1	6.35	3.18	4.78	1.319
10	ANG-0007	20.0	15.0	2.00			0.197	50	ANG-0112	39.0	33.0	3.00			0.613
11	ANG-0008	20.0	20.0	1.50			0.172	51	ANG-0137	40.0	15.0	3.00			0.463
12	ANG-0009	20.0	20.0	2.00			0.226	52	ANG-0139	40.0	15.0	3.00			0.463
13	ANG-0170	20.5	17.3	1.20		0.50	0.131	53	ANG-0032	40.0	20.0	2.00			0.344
14	ANG-0123	22.0	12.0	2.00	0.50		0.190	54	ANG-0033	40.0	20.0	3.00			0.508
15	ANG-0010	25.0	10.0	2.00			0.196	55	ANG-0034	40.0	25.0	3.00	2.00	3.00	0.553
16	ANG-0011	25.0	15.0	1.50			0.172	56	ANG-0035	40.0	25.0	5.50			0.972
17	ANG-0125	25.0	20.0	1.00			0.131	57	ANG-0036	40.0	30.0	3.00			0.597
18	ANG-0094	25.0	25.0	1.00			0.145	58	ANG-0037	40.0	30.0	5.00		0.50	0.965
19	ANG-0012	25.0	25.0	1.10			0.165	59	ANG-0138	40.0	40.0	2.00			0.463
20	ANG-0013	25.0	25.0	2.00			0.285	60	ANG-0039	40.0	40.0	3.00			0.692
21	ANG-0158	25.0	25.0	2.00		1.00	0.286	61	ANG-0040	40.0	40.0	4.00		1.00	0.903
22	ANG-0014	25.0	25.0	3.00			0.419	62	ANG-0116	40.0	40.0	4.00			0.903
23	ANG-0015	25.0	25.0	4.50			0.608	63	ANG-0151	40.0	40.0	5.00		3.00	1.120
24	ANG-0016	25.4	15.0	3.00			0.333	64	ANG-0152	40.0	40.0	5.00			1.114
25	ANG-0159	25.4	25.4	1.60		5.00	0.250	65	ANG-0164	42.0	32.0	2.00		1.00	0.421
26	ANG-0017	25.4	25.4	3.18	2.39	3.18	0.449	66	ANG-0168	43.0	31.2	1.20			0.260
27	ANG-0161	27.0	6.0	2.50			0.227	67	ANG-0041	44.0	20.0	2.00			0.369
28	ANG-0124	27.0	7.0	1.70			0.163	68	ANG-0042	45.0	45.0	1.20			0.317
29	ANG-0018	28.0	20.0	2.00			0.273	69	ANG-0043	45.0	45.0	3.00			0.774
30	ANG-0166	28.0	25.0	2.50	0.50		0.374	70	ANG-0142	47.5	45.5	1.50		1.50	0.409
31	ANG-0114	30.0	13.0	3.00	1.50		0.355	71	ANG-0134	48.3	48.3	1.98	1.00	1.00	0.556
32	ANG-0019	30.0	20.0	5.00			0.668	72	ANG-0160	48.3	48.3	1.98	1.00	1.00	0.556
33	ANG-0136	30.0	25.0	2.70		6.00	0.442	73	ANG-0173	49.0	35.0	8.00	1.50		1.802
34	ANG-0020	30.0	30.0	1.20			0.210	74	ANG-0120	50.0	20.0	1.80			0.364
35	ANG-0126	30.0	30.0	2.00			0.344	75	ANG-0047	50.0	20.0	4.00	1.00	2.00	0.781
36	ANG-0021	30.0	30.0	3.00		1.00	0.503	76	ANG-0048	50.0	28.0	3.00			0.668
37	ANG-0022	30.0	30.0	3.00	1.50	1.00	0.504	77	ANG-0155	50.0	29.0	6.00			1.301
38	ANG-0098	30.0	30.0	3.00			0.508	78	ANG-0150	50.0	30.0	2.00			0.463
39	ANG-0023	30.0	30.0	5.00			0.843	79	ANG-0108	50.0	30.0	3.00			0.686
40	ANG-0107	32.0	32.0	2.50			0.457	80	ANG-0049	50.0	35.0	4.00	4.00	4.00	0.953




NO	DIE NO.	SIZE (mm)					Unit wei. (KG/M)	NO	DIE NO.	SIZE (mm)					Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	a	b				A (width)	B (height)	T (thickness)	a	b	
81	ANG-0050	50.0	35.0	4.00	4.00		0.942	119	ANG-0070	75.0	75.0	8.00	1.0	2.0	3.374
82	ANG-0099	50.0	50.0	1.35			0.396	120	ANG-0071	75.0	75.0	10.00	1.0	1.0	4.156
83	ANG-0051	50.0	50.0	3.00	0.50	0.50	0.864	121	ANG-0072	76.2	76.2	6.35	6.4	7.9	2.743
84	ANG-0100	50.0	50.0	3.00			0.865	122	ANG-0172	79.0	35.5	1.20		1.5	0.504
85	ANG-0127	50.0	50.0	3.00	3.00	3.00	0.858	123	ANG-0073	80.0	33.0	3.00	1.0		0.980
86	ANG-0131	50.0	50.0	3.50			1.003	124	ANG-0141	80.0	45.0	4.00			1.438
87	ANG-0052	50.0	50.0	5.00			1.408	125	ANG-0075	80.0	60.0	5.00	4.0		1.984
88	ANG-0129	50.0	50.0	6.00		5.00	1.691	126	ANG-0154	80.0	60.0	5.00			2.005
89	ANG-0045	50.5	50.8	4.76	3.18	6.35	1.382	127	ANG-0171	88.0	40.5	2.50			0.935
90	ANG-0044	50.8	50.8	3.18	3.18	6.35	0.943	128	ANG-0076	88.5	35.0	5.00	1.0		1.758
91	ANG-0046	50.8	50.8	6.35		6.35	1.810	129	ANG-0077	90.0	90.0	5.00	0.5		2.598
92	ANG-0053	51.0	51.0	4.50			1.352	130	ANG-0167	90.0	90.0	6.00		1.0	3.101
93	ANG-0054	52.5	52.0	10.00			2.806	131	ANG-0153	90.0	90.0	11.00	7.0	10.0	5.522
94	ANG-0110	53.0	33.0	3.00			0.739	132	ANG-0078	100.0	50.0	8.80			3.691
95	ANG-0143	53.0	35.0	8.00	1.5	0.5	1.896	133	ANG-0135	100.0	75.0	10.00			4.901
96	ANG-0055	54.0	30.0	10.00			2.198	134	ANG-0132	100.0	100.0	6.00	0.5	0.5	3.557
97	ANG-0169	56.5	56.5	10.00			3.055	135	ANG-0079	100.0	100.0	7.00			4.012
98	ANG-0147	58.5	33.0	3.00			0.789	136	ANG-0080	101.6	76.2	6.35	6.4	9.5	3.240
99	ANG-0056	60.0	35.0	4.00	2.0	4.0	1.084	137	ANG-0081	101.6	101.6	6.00			3.513
100	ANG-0057	60.0	40.0	3.00			0.865	138	ANG-0082	105.0	50.0	5.00			2.228
101	ANG-0140	60.0	45.0	4.00			1.200	139	ANG-0149	108.0	51.0	6.00			2.727
102	ANG-0058	60.0	50.0	6.00	6.0		1.813	140	ANG-0083	108.5	35.0	5.00	1.0	0.5	2.055
103	ANG-0145	60.0	50.0	6.00	3.0		1.841	141	ANG-0119	110.0	110.0	3.00			1.934
104	ANG-0059	60.0	60.0	4.00	4.0	1.0	1.359	142	ANG-0144	114.5	76.0	12.50	1.0	1.0	6.609
105	ANG-0060	60.0	60.0	5.00		5.0	1.560	143	ANG-0084	120.0	30.0	6.00	3.0	3.0	2.561
106	ANG-0061	60.0	60.0	6.00			2.032	144	ANG-0085	120.0	40.0	7.50	4.0	4.0	3.387
107	ANG-0162	60.5	33.0	3.00			0.806	145	ANG-0086	120.0	120.0	15.50	0.5	0.5	10.335
108	ANG-0062	63.5	63.5	6.35	3.2	6.4	2.288	146	ANG-0087	125.0	125.0	10.00	5.0	10.0	7.160
109	ANG-0148	65.0	35.0	1.50			0.438	147	ANG-0109	127.5	50.0	5.00	3.0		2.544
110	ANG-0133	65.0	50.0	5.00	2.5	5.0	1.641	148	ANG-0088	135.0	25.0	2.00		1.0	0.934
111	ANG-0063	65.0	52.0	7.00	0.5		2.269	149	ANG-0163	143.0	50.0	5.00	0.5	0.5	2.791
112	ANG-0064	65.0	65.0	6.00		5.0	2.225	150	ANG-0089	150.0	9.0	1.30			0.609
113	ANG-0066	70.0	35.0	2.80	0.5	0.5	0.849	151	ANG-0090	152.4	101.6	9.50	0.5	12.5	6.997
114	ANG-0065	70.0	50.0	3.00			1.043	152	ANG-0165	155.0	29.0	3.00		1.5	1.614
115	ANG-0121	72.0	24.0	6.00		1.5	1.605	153	ANG-0091	170.0	140.0	8.00		2.5	7.180
116	ANG-0069	72.0	75.0	6.00		6.0	2.639	154	ANG-0092	200.0	100.0	10.00	1.0	1.0	8.611
117	ANG-0068	75.0	50.0	6.00	3.0		2.110	155	ANG-0093	244.0	70.0	20.00			17.437
118	ANG-0117	75.0	75.0	5.00			2.154								




NO	DIE NO.	SIZE (mm)						Unit wei. (KG/M)	NO	DIE NO.	SIZE (mm)						Unit wei. (KG/M)
		A (width)	B (height)	T (thickness)	a	b	c				A (width)	B (height)	T (thickness)	a	b	c	
1	CHA-0001	9.50	9.00	1.50				0.109	45	CHA-0033	70.00	42.00	4.00				1.735
2	CHA-0002	10.13	10.18	1.30			1.0	0.107	46	CHA-0032	70.00	66.00	3.00				1.782
3	CHA-0096	13.00	10.50	1.00				0.095	47	CHA-0035	72.00	36.00	6.00				2.352
4	CHA-0003	17.20	6.30	1.50				0.120	48	CUR-01631	74.00	50.00	3.00	2.0	2.0		1.496
5	CHA-0005	20.00	10.00	2.00	0.5	0.5	1.0	0.213	49	CHA-0036	75.00	40.00	3.00	0.5	1.0	0.5	1.328
6	CHA-0087	21.00	20.00	2.50				0.416	50	CHA-0037	75.00	40.00	6.00				2.549
7	CHA-0094	21.50	25.00	3.00		2.0		0.589	51	CHA-0080	75.00	57.00	3.00		2.0	3.0	1.624
8	CHA-0007	22.00	22.00	2.00				0.369	52	CHA-0039	76.00	31.50	4.50				1.738
9	CHA-0008	23.00	15.00	2.00	0.5	0.5	0.5	0.290	53	CHA-0038	76.20	38.00	6.55				2.708
10	CHA-0064	25.00	13.00	2.00				0.279	54	CHA-0040	77.50	45.00	4.00	4.0			1.874
11	CHA-0009	25.00	25.00	1.20				0.259	55	CHA-0063	79.00	38.00	1.30	1.3			0.586
12	CHA-0010	27.67	18.60	1.50			0.5	0.275	56	CHA-0090	80.00	38.00	1.50		1.0	2.5	0.675
13	CHA-0012	30.00	15.00	1.00				0.173	57	CHA-0041	80.00	45.00	6.40	0.5	5.0	0.5	3.020
14	CHA-0006	30.00	20.00	2.00		1.0	3.0	0.439	58	CHA-0088	80.00	50.00	4.00	0.5	1.0	1.0	2.043
15	CHA-0013	30.00	30.00	6.00	0.5	0.5	0.5	1.389	59	CHA-0070	84.50	40.00	5.00				2.295
16	CHA-0014	32.00	30.00	1.80				0.475	60	CHA-0042	90.00	30.00	4.00				1.675
17	CHA-0015	32.00	30.00	2.50				0.661	61	CHA-0043	95.00	40.00	4.00		4.0		2.000
18	CHA-0016	33.30	32.00	2.50				0.685	62	CHA-0089	96.00	25.00	3.00		3.0	6.0	1.213
19	CHA-0017	34.90	30.00	1.20				0.329	63	CHA-0066	98.00	40.00	4.00				2.022
20	CHA-0018	35.00	26.50	1.00		0.5	0.5	0.255	64	CHA-0044	100.00	50.00	3.00				1.728
21	CHA-0095	35.60	42.50	1.50	0.5	0.5	1.0	0.521	65	CHA-0068	100.00	50.00	6.00				3.351
22	CHA-0021	40.00	20.00	3.00				0.659	66	CHA-0045	100.00	50.00	8.00		5.0		4.373
23	CHA-0100	40.00	20.00	3.00				0.659	67	CHA-0046	100.00	50.00	9.50	0.5	5.0	0.5	5.138
24	CHA-0085	42.00	128.00	3.00		1.5		2.605	68	CHA-0061	104.00	38.00	1.30	1.3			0.683
25	CHA-0071	42.20	26.00	1.40				0.380	69	CHA-0078	109.00	50.00	4.00		1.0		2.388
26	CHA-0022	43.50	32.00	2.50				0.761	70	CHA-0047	111.00	40.00	5.00				2.687
27	CUR-02759	45.00	40.00	4.00	2.0	2.0		1.389	71	CHA-0048	114.00	35.00	3.00		1.5	2.0	1.579
28	CHA-0025	47.00	22.00	2.50				0.639	72	CUR-01632	115.00	50.00	3.00	2.0	2.0		1.861
29	CHA-0024	47.40	25.00	1.20				0.339	73	CHA-0077	120.00	40.00	3.00		1.0		1.729
30	CHA-0026	50.00	30.00	8.00				2.233	74	CHA-0082	120.00	45.00	10.00				5.643
31	CHA-0011	50.00	30.80	3.00				1.112	75	CHA-0092	120.00	65.00	6.00		5.0		4.274
32	CHA-0019	50.00	35.00	5.00				1.856	76	CHA-0049	120.00	70.00	25.00	1.5	1.5	1.5	15.587
33	CHA-0062	54.00	38.00	1.30	1.3			0.491	77	CHA-0067	120.00	80.00	5.00				4.010
34	CHA-0093	54.00	70.00	6.00	1.0	1.0	2.0	3.237	78	CHA-0050	125.00	50.00	6.00				3.796
35	CHA-0079	55.00	25.00	2.00				0.601	79	CHA-0083	143.50	10.00	1.50				0.714
36	CHA-0028	55.00	40.00	1.50				0.586	80	CHA-0065	150.00	31.50	4.00				2.435
37	CHA-0086	55.00	40.00	4.00				1.508	81	CHA-0051	150.00	50.00	5.00		4.0	1.0	3.830
38	CHA-0084	58.00	12.00	2.00	0.5			0.463	82	CHA-0097	184.00	75.00	2.00	0.5	2.0	3.0	1.954




NO	DIE NO.	A (EXT.RAD) (mm)	Unit wei. (kg/m)	NO	DIE NO.	A (EXT.RAD) (mm)	Unit wei. (kg/m)
1	ROB-0070	Ø 2.8	0.019	39	ROB-0027	Ø 48.0	5.371
2	ROB-0001	Ø 6.0	0.084	40	ROB-0075	Ø 49.5	5.716
3	ROB-0002	Ø 8.0	0.150	41	ROB-0028	Ø 50.8	6.019
4	ROB-0003	Ø 9.0	0.189	42	ROB-0029	Ø 51.0	6.068
5	ROB-0066	Ø 9.0	0.189	43	ROB-0077	Ø 53.8	6.752
6	ROB-0004	Ø 10.0	0.233	44	ROB-0030	Ø 53.98	6.797
7	ROB-0065	Ø 10.0	0.233	45	ROB-0031	Ø 54.0	6.802
8	ROB-0078	Ø 12.7	0.376	46	ROB-0032	Ø 57.15	7.619
9	ROB-0005	Ø 13.0	0.396	47	ROB-0033	Ø 58.74	8.049
10	ROB-0006	Ø 13.5	0.425	48	ROB-0034	Ø 59.4	8.230
11	ROB-0067	Ø 14.0	0.458	49	ROB-0035	Ø 60.0	8.397
12	ROB-0068	Ø 14.85	0.515	50	ROB-0036	Ø 60.33	8.490
13	ROB-0076	Ø 16.5	0.589	51	ROB-0037	Ø 63.5	9.406
14	ROB-0073	Ø 18.0	0.756	52	ROB-0038	Ø 65.0	9.855
15	ROB-0071	Ø 19.05	0.847	53	ROB-0039	Ø 66.68	10.372
16	ROB-0007	Ø 20.0	0.933	54	ROB-0040	Ø 69.85	11.381
17	ROB-0008	Ø 22.23	1.153	55	ROB-0041	Ø 72.0	12.086
18	ROB-0009	Ø 23.81	1.322	56	ROB-0042	Ø 73.03	12.441
19	ROB-0010	Ø 24.0	1.343	57	ROB-0044	Ø 76.2	13.544
20	ROB-0011	Ø 25.4	1.505	58	ROB-0045	Ø 78.0	14.192
21	ROB-0012	Ø 25.65	1.536	59	ROB-0046	Ø 79.38	14.698
22	ROB-0013	Ø 27.0	1.701	60	ROB-0047	Ø 80.0	14.929
23	ROB-0014	Ø 28.58	1.905	61	ROB-0048	Ø 80.3	15.041
24	ROB-0015	Ø 30.16	2.122	62	ROB-0049	Ø 82.55	15.896
25	ROB-0016	Ø 31.75	2.352	63	ROB-0050	Ø 85.0	16.845
26	ROB-0017	Ø 32.0	2.389	64	ROB-0051	Ø 85.73	17.144
27	ROB-0018	Ø 33.34	2.593	65	ROB-0052	Ø 88.9	18.435
28	ROB-0019	Ø 34.93	2.846	66	ROB-0054	Ø 90.3	19.020
29	ROB-0020	Ø 35.0	2.858	67	ROB-0055	Ø 92.08	19.778
30	ROB-0072	Ø 36.51	3.110	68	ROB-0056	Ø 95.25	21.163
31	ROB-0021	Ø 38.1	3.386	69	ROB-0057	Ø 101.6	24.079
32	ROB-0022	Ø 39.69	3.675	70	ROB-0058	Ø 104.78	25.609
33	ROB-0023	Ø 41.0	3.919	71	ROB-0059	Ø 105.0	25.705
34	ROB-0024	Ø 41.28	3.975	72	ROB-0060	Ø 107.95	27.182
35	ROB-0074	Ø 42.86	4.285	73	ROB-0061	Ø 108.3	27.359
36	ROB-0025	Ø 44.45	4.609	74	ROB-0062	Ø 111.13	28.808
37	ROB-0079	Ø 46.04	4.945	75	ROB-0063	Ø 114.3	30.474
38	ROB-0026	Ø 47.63	5.292	76	ROB-0064	Ø 120.7	33.983




NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)	NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)
1	ROP-0001	Ø 10.0	2.50	0.175	42	ROP-0026	Ø 20.0	1.10	0.185
2	ROP-0331	Ø 10.5	1.25	0.108	43	ROP-0308	Ø 20.0	1.50	0.257
3	ROP-0002	Ø 12.0	1.20	0.121	44	ROP-0027	Ø 20.0	2.00	0.341
4	ROP-0322	Ø 12.0	1.25	0.125	45	ROP-0028	Ø 20.5	1.95	0.338
5	ROP-0003	Ø 12.0	1.50	0.147	46	ROP-0029	Ø 21.0	2.00	0.354
6	ROP-0004	Ø 12.0	2.00	0.187	47	ROP-0030	Ø 21.0	3.50	0.572
7	ROP-0275	Ø 12.0	2.00	0.187	48	ROP-0033	Ø 22.0	1.40	0.270
8	ROP-0283	Ø 12.0	3.00	0.252	49	ROP-0034	Ø 22.0	1.60	0.305
9	ROP-0333	Ø 12.8	3.00	0.274	50	ROP-0035	Ø 22.0	2.00	0.373
10	ROP-0260	Ø 13.0	1.20	0.132	51	ROP-0279	Ø 22.0	3.00	0.531
11	ROP-0282	Ø 14.0	3.00	0.308	52	ROP-0036	Ø 22.0	4.50	0.735
12	ROP-0270	Ø 14.5	1.00	0.127	53	ROP-0286	Ø 22.1	2.35	0.433
13	ROP-0005	Ø 15.0	1.50	0.189	54	ROP-0284	Ø 22.1	2.60	0.473
14	ROP-0006	Ø 15.0	2.00	0.243	55	ROP-0037	Ø 22.1	2.70	0.488
15	ROP-0276	Ø 15.0	2.00	0.243	56	ROP-0268	Ø 22.5	1.10	0.217
16	ROP-0309	Ø 15.0	2.00	0.244	57	ROP-0038	Ø 24.0	2.00	0.410
17	ROP-0339	Ø 15.0	3.00	0.336	58	ROP-0293	Ø 24.0	3.00	0.587
18	ROP-0007	Ø 15.68	2.58	0.316	59	ROP-0039	Ø 24.0	6.20	1.030
19	ROP-0008	Ø 15.68	3.70	0.414	60	ROP-0040	Ø 24.0	6.50	1.060
20	ROP-0254	Ø 16.0	1.20	0.166	61	ROP-0041	Ø 24.5	1.60	0.342
21	ROP-0306	Ø 16.0	1.40	0.189	62	ROP-0042	Ø 24.5	2.75	0.558
22	ROP-0009	Ø 16.0	1.90	0.250	63	ROP-0043	Ø 24.8	1.60	0.347
23	ROP-0281	Ø 16.0	3.00	0.364	64	ROP-0310	Ø 25.0	1.00	0.224
24	ROP-0305	Ø 16.5	0.85	0.118	65	ROP-0044	Ø 25.0	1.10	0.245
25	ROP-0011	Ø 17.0	3.00	0.392	66	ROP-0291	Ø 25.0	1.50	0.329
26	ROP-0271	Ø 17.2	1.00	0.151	67	ROP-0257	Ø 25.0	2.00	0.429
27	ROP-0274	Ø 17.5	1.00	0.154	68	ROP-0046	Ø 25.0	2.20	0.468
28	ROP-0012	Ø 17.92	2.58	0.370	69	ROP-0047	Ø 25.0	2.50	0.525
29	ROP-0013	Ø 18.0	1.20	0.188	70	ROP-0048	Ø 25.0	3.00	0.615
30	ROP-0014	Ø 18.0	1.50	0.231	71	ROP-0334	Ø 25.0	6.40	1.111
31	ROP-0015	Ø 18.0	2.00	0.298	72	ROP-0300	Ø 25.0	7.25	1.201
32	ROP-0261	Ø 18.5	1.50	0.952	73	ROP-0049	Ø 25.0	7.50	1.224
33	ROP-0016	Ø 18.9	1.50	0.245	74	ROP-0050	Ø 26.0	4.50	0.902
34	ROP-0017	Ø 19.0	1.10	0.184	75	ROP-0052	Ø 26.7	2.87	0.638
35	ROP-0018	Ø 19.0	1.20	0.199	76	ROP-0053	Ø 27.0	4.50	0.945
36	ROP-0019	Ø 19.0	1.30	0.215	77	ROP-0316	Ø 27.2	3.90	0.848
37	ROP-0020	Ø 19.0	1.35	0.222	78	ROP-0255	Ø 27.5	3.00	0.685
38	ROP-0021	Ø 19.0	1.50	0.245	79	ROP-0054	Ø 28.0	2.00	0.485
39	ROP-0022	Ø 19.0	2.00	0.317	80	ROP-0287	Ø 28.0	2.85	0.669
40	ROP-0023	Ø 19.0	3.00	0.451	81	ROP-0278	Ø 28.0	3.00	0.700
41	ROP-0280	Ø 19.0	3.00	0.448	82	ROP-0055	Ø 28.0	5.00	1.074




NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)	NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)
83	ROP-0056	Ø 28.2	2.95	0.695	124	ROP-0084	Ø 38.0	1.00	0.345
84	ROP-0057	Ø 29.0	6.00	1.287	125	ROP-0085	Ø 38.0	1.50	0.510
85	ROP-0058	Ø 29.3	6.55	1.390	126	ROP-0336	Ø 38.0	2.00	0.672
86	ROP-0059	Ø 29.5	6.25	1.356	127	ROP-0086	Ø 38.0	2.50	0.828
87	ROP-0060	Ø 29.5	6.83	1.444	128	ROP-0087	Ø 38.0	4.50	1.407
88	ROP-0061	Ø 29.5	8.05	1.612	129	ROP-0326	Ø 38.0	7.00	2.025
89	ROP-0062	Ø 29.8	2.40	0.614	130	ROP-0088	Ø 38.0	10.40	2.679
90	ROP-0063	Ø 30.0	1.20	0.322	131	ROP-0289	Ø 38.5	4.90	1.537
91	ROP-0064	Ø 30.0	1.50	0.398	132	ROP-0089	Ø 40.0	2.00	0.710
92	ROP-0065	Ø 30.0	5.00	1.166	133	ROP-0090	Ø 40.0	3.00	1.036
93	ROP-0285	Ø 30.2	2.40	0.623	134	ROP-0091	Ø 40.0	4.00	1.343
94	ROP-0290	Ø 30.2	2.50	0.646	135	ROP-0277	Ø 40.0	4.00	1.343
95	ROP-0066	Ø 31.0	1.20	0.336	136	ROP-0092	Ø 40.0	5.00	1.632
96	ROP-0067	Ø 31.0	3.20	0.831	137	ROP-0093	Ø 40.0	7.25	2.215
97	ROP-0068	Ø 31.6	1.30	0.367	138	ROP-0094	Ø 40.0	8.40	2.475
98	ROP-0262	Ø 31.8	1.10	0.315	139	ROP-0096	Ø 41.0	3.00	1.063
99	ROP-0295	Ø 31.8	1.80	0.504	140	ROP-0097	Ø 41.0	7.00	2.221
100	ROP-0069	Ø 32.0	1.00	0.289	141	ROP-0099	Ø 42.0	1.50	0.567
101	ROP-0298	Ø 32.0	1.25	0.359	142	ROP-0338	Ø 42.0	2.00	0.747
102	ROP-0294	Ø 32.0	2.00	0.560	143	ROP-0100	Ø 42.0	15.10	3.790
103	ROP-0070	Ø 32.0	2.50	0.689	144	ROP-0101	Ø 42.2	3.56	1.284
104	ROP-0071	Ø 32.0	3.00	0.811	145	ROP-0102	Ø 42.6	2.00	0.758
105	ROP-0072	Ø 32.4	3.90	1.037	146	ROP-0266	Ø 42.7	4.00	1.444
106	ROP-0073	Ø 32.65	3.90	1.046	147	ROP-0098	Ø 43.0	3.00	1.120
107	ROP-0264	Ø 33.0	1.20	0.356	148	ROP-0103	Ø 43.0	3.50	1.289
108	ROP-0265	Ø 33.0	4.00	0.356	149	ROP-0104	Ø 43.0	4.50	1.617
109	ROP-0074	Ø 33.0	5.75	1.461	150	ROP-0105	Ø 43.0	10.00	3.078
110	ROP-0075	Ø 33.4	4.40	1.190	151	ROP-0327	Ø 44.0	7.00	2.417
111	ROP-0256	Ø 33.5	2.75	0.789	152	ROP-0106	Ø 44.5	6.00	2.155
112	ROP-0076	Ø 33.5	4.00	1.101	153	ROP-0107	Ø 45.0	2.00	0.802
113	ROP-0077	Ø 34.0	2.00	0.597	154	ROP-0108	Ø 45.0	5.00	0.187
114	ROP-0304	Ø 34.0	2.00	0.597	155	ROP-0288	Ø 45.0	8.70	2.947
115	ROP-0337	Ø 34.0	2.00	0.597	156	ROP-0109	Ø 45.5	4.75	1.806
116	ROP-0078	Ø 34.0	3.50	0.996	157	ROP-0273	Ø 46.6	3.80	1.518
117	ROP-0296	Ø 34.8	1.85	0.569	158	ROP-0111	Ø 47.6	8.30	3.044
118	ROP-0079	Ø 35.0	4.00	1.157	159	ROP-0112	Ø 47.8	4.00	1.635
119	ROP-0080	Ø 35.0	6.50	1.727	160	ROP-0113	Ø 48.0	7.50	2.833
120	ROP-0081	Ø 35.8	1.20	0.387	161	ROP-0297	Ø 48.0	9.00	3.275
121	ROP-0082	Ø 36.0	3.00	0.923	162	ROP-0114	Ø 48.0	10.00	3.545
122	ROP-0335	Ø 36.0	7.90	1.482	163	ROP-0115	Ø 48.3	3.68	1.532
123	ROP-0083	Ø 37.0	4.50	1.364	164	ROP-0116	Ø 48.3	3.70	1.539




NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)	NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)
165	ROP-0117	Ø 50.0	1.00	0.458	206	ROP-0154	Ø 62.3	2.50	1.395
166	ROP-0118	Ø 50.0	1.70	0.766	207	ROP-0299	Ø 63.0	1.50	0.860
167	ROP-0119	Ø 50.0	2.00	0.895	208	ROP-0155	Ø 63.0	2.50	1.411
168	ROP-0120	Ø 50.0	2.50	1.108	209	ROP-0156	Ø 63.0	3.00	1.680
169	ROP-0121	Ø 50.0	3.00	1.316	210	ROP-0157	Ø 63.0	11.00	5.337
170	ROP-0122	Ø 50.0	4.00	1.716	211	ROP-0158	Ø 63.5	1.60	0.924
171	ROP-0123	Ø 50.0	5.00	2.100	212	ROP-0159	Ø 63.5	6.00	3.219
172	ROP-0124	Ø 50.0	8.00	3.135	213	ROP-0301	Ø 63.5	10.25	5.093
173	ROP-0125	Ø 50.0	8.50	3.291	214	ROP-0160	Ø 63.6	2.70	1.535
174	ROP-0292	Ø 50.0	14.00	4.703	215	ROP-0311	Ø 64.8	2.40	1.397
175	ROP-0272	Ø 50.5	1.50	0.685	216	ROP-0162	Ø 65.0	6.50	3.548
176	ROP-0126	Ø 50.8	4.80	2.060	217	ROP-0163	Ø 65.5	7.00	3.821
177	ROP-0127	Ø 51.0	6.50	2.697	218	ROP-0164	Ø 70.0	3.00	1.876
178	ROP-0128	Ø 51.0	19.00	5.673	219	ROP-0165	Ø 70.0	5.00	3.033
179	ROP-0129	Ø 52.0	6.50	2.758	220	ROP-0166	Ø 70.0	6.00	3.583
180	ROP-0130	Ø 52.0	9.55	3.783	221	ROP-0167	Ø 70.0	11.80	6.408
181	ROP-0131	Ø 52.0	10.10	3.949	222	ROP-0168	Ø 72.0	5.00	3.126
182	ROP-0132	Ø 52.0	16.45	5.456	223	ROP-0169	Ø 73.0	5.00	3.172
183	ROP-0133	Ø 52.5	2.00	0.943	224	ROP-0170	Ø 73.0	6.00	3.749
184	ROP-0134	Ø 54.0	4.75	2.181	225	ROP-0314	Ø 75.0	5.00	3.264
185	ROP-0135	Ø 54.0	11.00	4.413	226	ROP-0171	Ø 75.5	23.00	11.266
186	ROP-0136	Ø 54.3	8.10	3.491	227	ROP-0332	Ø 76.0	8.00	5.075
187	ROP-0137	Ø 55.0	1.70	0.846	228	ROP-0173	Ø 76.2	4.78	3.186
188	ROP-0138	Ø 55.0	2.00	0.989	229	ROP-0174	Ø 76.2	6.35	4.138
189	ROP-0139	Ø 55.0	2.30	1.131	230	ROP-0315	Ø 76.3	5.20	3.450
190	ROP-0328	Ø 55.0	8.00	3.508	231	ROP-0342	Ø 76.96	3.56	2.438
191	ROP-0140	Ø 57.15	6.35	3.010	232	ROP-0175	Ø 77.0	5.00	3.357
192	ROP-0141	Ø 58.0	2.50	1.295	233	ROP-0176	Ø 77.0	8.50	5.433
193	ROP-0142	Ø 58.0	9.95	4.461	234	ROP-0177	Ø 79.0	1.60	1.155
194	ROP-0143	Ø 60.0	2.40	1.287	235	ROP-0178	Ø 79.0	6.50	4.395
195	ROP-0144	Ø 60.0	3.00	1.595	236	ROP-0179	Ø 80.0	4.00	2.836
196	ROP-0145	Ø 60.0	12.60	5.573	237	ROP-0180	Ø 80.0	7.00	4.763
197	ROP-0146	Ø 60.0	16.00	6.569	238	ROP-0252	Ø 80.0	10.00	6.532
198	ROP-0147	Ø 60.3	3.91	2.057	239	ROP-0181	Ø 81.0	13.50	8.503
199	ROP-0148	Ø 60.3	5.54	2.830	240	ROP-0182	Ø 83.0	12.50	8.223
200	ROP-0267	Ø 60.5	4.00	2.109	241	ROP-0183	Ø 83.2	9.85	6.741
201	ROP-0149	Ø 61.0	1.70	0.941	242	ROP-0329	Ø 84.0	10.00	6.905
202	ROP-0150	Ø 61.0	2.20	1.207	243	ROP-0184	Ø 85.5	11.00	7.646
203	ROP-0151	Ø 61.5	5.75	2.991	244	ROP-0185	Ø 88.9	5.50	4.278
204	ROP-0152	Ø 61.9	3.95	2.136	245	ROP-0186	Ø 90.0	3.00	2.435
205	ROP-0153	Ø 62.0	12.00	5.599	246	ROP-0302	Ø 90.0	3.20	2.592




NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)	NO	DIE NO.	A (EXT.RAD) (mm)	B (Thickness) (mm)	Unit wei. (kg/m)
247	ROP-0187	Ø 90.0	3.50	2.825	288	ROP-0253	Ø 130.0	2.50	2.972
248	ROP-0188	Ø 90.0	5.00	3.963	289	ROP-0220	Ø 130.0	2.50	2.974
249	ROP-0189	Ø 90.0	6.00	4.700	290	ROP-0221	Ø 130.0	12.00	13.206
250	ROP-0190	Ø 90.0	15.00	10.494	291	ROP-0222	Ø 132.0	6.00	7.051
251	ROP-0318	Ø 90.0	25.00	15.162	292	ROP-0258	Ø 132.0	4.80	5.694
252	ROP-0191	Ø 95.0	7.50	7.373	293	ROP-0323	Ø 134.0	5.50	6.595
253	ROP-0192	Ø 100.0	1.50	1.378	294	ROP-0223	Ø 136.0	5.00	6.112
254	ROP-0193	Ø 100.0	2.50	2.275	295	ROP-0224	Ø 140.0	2.50	3.205
255	ROP-0194	Ø 100.0	3.50	3.149	296	ROP-0263	Ø 140.0	5.00	6.299
256	ROP-0195	Ø 100.0	5.00	4.430	297	ROP-0225	Ø 140.3	45.15	40.084
257	ROP-0196	Ø 100.0	10.00	8.397	298	ROP-0226	Ø 141.0	7.00	8.752
258	ROP-0320	Ø 100.2	20.10	15.023	299	ROP-0227	Ø 141.0	12.50	14.980
259	ROP-0197	Ø 101.6	3.20	2.938	300	ROP-0228	Ø 150.0	2.50	3.441
260	ROP-0198	Ø 102.0	6.00	5.371	301	ROP-0229	Ø 152.0	5.00	6.854
261	ROP-0199	Ø 102.0	7.50	6.613	302	ROP-0230	Ø 153.0	13.00	16.982
262	ROP-0200	Ø 102.0	10.00	8.580	303	ROP-0341	Ø 156.0	3.00	4.282
263	ROP-0317	Ø 104.0	8.00	7.165	304	ROP-0231	Ø 156.0	5.00	7.044
264	ROP-0201	Ø 105.0	7.00	6.398	305	ROP-0232	Ø 156.0	7.00	9.732
265	ROP-0259	Ø 108.0	2.40	2.364	306	ROP-0312	Ø 160.0	3.20	4.682
266	ROP-0202	Ø 110.0	3.00	2.995	307	ROP-0330	Ø 160.0	6.00	8.622
267	ROP-0203	Ø 110.0	3.20	3.187	308	ROP-0234	Ø 160.0	7.00	9.994
268	ROP-0269	Ø 110.0	3.20	3.189	309	ROP-0233	Ø 160.0	10.00	13.995
269	ROP-0303	Ø 110.0	3.20	3.189	310	ROP-0235	Ø 165.0	3.00	4.534
270	ROP-0204	Ø 110.0	3.50	3.476	311	ROP-0236	Ø 166.0	3.00	4.563
271	ROP-0205	Ø 110.0	7.50	7.173	312	ROP-0237	Ø 168.0	11.00	16.114
272	ROP-0313	Ø 112.0	5.00	4.990	313	ROP-0238	Ø 170.0	25.00	33.823
273	ROP-0206	Ø 113.0	3.50	3.574	314	ROP-0240	Ø 176.0	5.00	7.977
274	ROP-0207	Ø 114.0	2.00	2.090	315	ROP-0241	Ø 178.0	7.00	11.168
275	ROP-0208	Ø 114.0	5.00	5.083	316	ROP-0242	Ø 180.0	7.00	11.299
276	ROP-0209	Ø 114.0	6.00	6.047	317	ROP-0243	Ø 191.5	13.20	21.960
277	ROP-0210	Ø 115.0	9.50	9.347	318	ROP-0244	Ø 200.0	6.00	10.860
278	ROP-0211	Ø 115.0	10.00	9.792	319	ROP-0245	Ø 208.0	4.00	7.614
279	ROP-0212	Ø 120.0	6.00	6.379	320	ROP-0321	Ø 216.0	4.00	7.912
280	ROP-0213	Ø 120.0	7.50	7.873	321	ROP-0246	Ø 216.0	6.00	11.757
281	ROP-0340	Ø 120.0	8.00	8.360	322	ROP-0247	Ø 221.0	10.50	20.623
282	ROP-0214	Ø 120.0	15.00	14.696	323	ROP-0248	Ø 234.0	6.00	12.764
283	ROP-0319	Ø 120.2	20.10	18.773	324	ROP-0325	Ø 242.0	16.00	33.739
284	ROP-0215	Ø 120.3	30.15	25.361	325	ROP-0324	Ø 250.0	4.80	10.981
285	ROP-0216	Ø 122.0	10.00	10.445	326	ROP-0249	Ø 266.5	6.00	14.584
286	ROP-0217	Ø 124.0	2.00	2.277	327	ROP-0250	Ø 280.0	12.50	31.199
287	ROP-0218	Ø 127.0	12.70	13.543					




NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)
		A (width)	T (thickness)	R				A (width)	T (thickness)	R	
1	FLT-0001	10.00	5.00		0.149	47	FLT-0371	25.40	25.40	0.40	1.916
2	FLT-0350	10.00	10.00	0.50	0.296	48	FLT-0035	26.00	6.00		0.463
3	FLT-0002	10.00	10.00		0.297	49	FLT-0036	27.50	2.50		0.205
4	FLT-0004	12.00	3.00		0.107	50	FLT-0317	28.00	5.00		0.416
5	FLT-0375	12.00	12.00	1.50	0.422	51	FLT-0037	28.60	3.00	0.50	0.254
6	FLT-0005	14.00	12.00		0.499	52	FLT-0038	29.00	3.00		0.259
7	FLT-0006	14.50	3.00		0.129	53	FLT-0349	30.00	3.00		0.267
8	FLT-0007	15.00	2.00	F.R	0.089	54	FLT-0344	30.00	4.00	0.50	0.355
9	FLT-0323	15.00	2.00		0.089	55	FLT-0039	30.00	5.00	1.00	0.443
10	FLT-0008	15.00	5.00		0.223	56	FLT-0040	30.00	6.00		0.535
11	FLT-0009	15.00	10.00		0.446	57	FLT-0041	30.00	10.00	1.00	0.889
12	FLT-0010	15.20	5.10	0.50	0.230	58	FLT-0042	30.00	12.00	0.50	1.068
13	FLT-0011	15.50	12.00		0.553	59	FLT-0043	30.00	15.00		1.337
14	FLT-0365	15.88	12.70	0.40	0.598	60	FLT-0044	30.00	16.20		1.434
15	FLT-0012	15.88	15.88		0.749	61	FLT-0045	30.00	20.00		1.782
16	FLT-0338	16.00	5.40	F.R	0.256	62	FLT-0046	31.75	7.94	0.40	0.748
17	FLT-0013	16.00	6.00	0.50	0.285	63	FLT-0047	31.75	15.88	0.40	1.497
18	FLT-0014	17.00	2.00		0.101	64	FLT-0372	31.75	19.05	0.40	1.796
19	FLT-0318	17.00	3.50		0.177	65	FLT-0049	31.75	31.75	0.40	2.993
20	FLT-0015	17.45	4.80		0.250	66	FLT-0310	32.00	3.30		0.315
21	FLT-0016	18.20	6.00	0.50	0.323	67	FLT-0351	33.00	5.00		0.490
22	FLT-0319	18.50	3.50		0.193	68	FLT-0050	34.00	3.00		0.303
23	FLT-0017	19.00	12.00		0.678	69	FLT-0343	34.00	5.00		0.505
24	FLT-0018	19.05	9.53	0.40	0.539	70	FLT-0051	35.00	3.00		0.312
25	FLT-0381	19.05	19.05	0.40	1.077	71	FLT-0345	35.00	5.00		0.519
26	FLT-0355	19.90	6.70	1.00	0.394	72	FLT-0309	38.00	6.00		0.682
27	FLT-0021	20.00	3.00		0.178	73	FLT-0052	38.10	6.35	0.40	0.718
28	FLT-0022	20.00	5.00		0.297	74	FLT-0053	38.10	9.53	0.40	1.078
29	FLT-0023	20.00	6.00	0.50	0.355	75	FLT-0360	38.10	12.70	0.40	1.437
30	FLT-0019	20.00	10.00	0.40	0.594	76	FLT-0054	38.10	25.40	0.40	2.874
31	FLT-0020	20.00	15.00		0.891	77	FLT-0364	38.10	31.75	0.40	3.593
32	FLT-0025	20.50	5.00	0.50	0.304	78	FLT-0368	38.10	38.10	0.40	4.311
33	FLT-0320	21.00	3.00		0.187	79	FLT-0336	39.00	3.30		0.382
34	FLT-0026	22.00	20.00		1.307	80	FLT-0055	40.00	2.00	0.50	0.238
35	FLT-0027	22.00	22.00	1.00	1.434	81	FLT-0056	40.00	3.00		0.356
36	FLT-0329	24.00	8.00		0.570	82	FLT-0057	40.00	5.00		0.594
37	FLT-0325	25.00	2.00		0.149	83	FLT-0058	40.00	6.00		0.713
38	FLT-0321	25.00	3.00		0.263	84	FLT-0331	40.00	6.00		0.713
39	FLT-0312	25.00	5.00		0.372	85	FLT-0059	40.00	8.00	0.50	0.948
40	FLT-0028	25.00	6.00		0.446	86	FLT-0060	40.00	8.00	1.00	0.949
41	FLT-0337	25.00	8.00	4.00	0.594	87	FLT-0061	40.00	10.00	0.50	1.187
42	FLT-0030	25.00	12.00		0.891	88	FLT-0062	40.00	12.00		1.426
43	FLT-0031	25.40	6.35		0.479	89	FLT-0063	40.00	15.00	0.50	1.781
44	FLT-0032	25.40	12.70		0.958	90	FLT-0064	40.00	20.00		2.376
45	FLT-0033	25.40	15.88	0.40	1.198	91	FLT-0065	40.00	22.00		2.614
46	FLT-0034	25.40	19.05	0.40	1.437	92	FLT-0348	40.00	25.00		2.970



NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)
		A (width)	T (thickness)	R				A (width)	T (thickness)	R	
93	FLT-0066	40.00	30.00	0.50	3.563	139	FLT-0103	57.15	12.70	0.40	2.155
94	FLT-0067	40.00	40.00		4.752	140	FLT-0334	58.00	4.00		0.689
95	FLT-0068	42.00	31.00	0.50	3.867	141	FLT-0104	59.00	10.00		1.752
96	FLT-0069	44.00	3.00		0.392	142	FLT-0379	59.50	3.00	F.R	0.525
97	FLT-0324	44.00	3.20		0.418	143	FLT-0105	60.00	2.00		0.356
98	FLT-0362	44.45	12.70	0.40	1.676	144	FLT-0106	60.00	4.00		0.713
99	FLT-0382	44.45	44.45	0.40	5.867	145	FLT-0107	60.00	12.00		2.133
100	FLT-0308	45.00	3.00		0.396	146	FLT-0108	60.00	15.00	1.00	2.671
101	FLT-0070	45.00	4.00		0.535	147	FLT-0109	60.00	16.00	0.50	2.851
102	FLT-0071	45.00	5.00		0.668	148	FLT-0110	60.00	20.00	1.00	3.562
103	FLT-0072	45.00	40.00		5.346	149	FLT-0333	60.00	8.00		1.426
104	FLT-0339	47.00	14.50	1.00	2.022	150	FLT-0340	60.00	14.50	1.00	2.582
105	FLT-0335	49.00	4.00		0.584	151	FLT-0111	60.00	25.00	0.50	4.454
106	FLT-0073	50.00	2.00		0.297	152	FLT-0112	60.00	30.00	0.50	5.346
107	FLT-0347	50.00	3.00		0.446	153	FLT-0113	60.00	35.00	0.50	6.236
108	FLT-0074	50.00	4.00		0.594	154	FLT-0114	60.00	55.00	0.50	9.801
109	FLT-0075	50.00	5.00		0.743	155	FLT-0316	62.60	11.50	0.50	2.137
110	FLT-0311	50.00	5.80		0.861	156	FLT-0115	63.50	5.00		0.943
111	FLT-0076	50.00	6.00		0.891	157	FLT-0116	63.50	6.35	0.40	1.197
112	FLT-0077	50.00	8.00	0.50	1.187	158	FLT-0354	63.50	7.00		1.320
113	FLT-0078	50.00	10.00		1.485	159	FLT-0117	63.50	9.53	0.40	1.797
114	FLT-0079	50.00	10.00	F.R	1.421	160	FLT-0118	63.50	12.70	0.40	2.395
115	FLT-0328	50.00	10.00	5.00	1.421	161	FLT-0119	63.50	15.88	0.40	2.995
116	FLT-0080	50.00	12.00	3.00	1.760	162	FLT-0120	63.50	25.40	0.40	4.789
117	FLT-0081	50.00	12.00	0.50	1.781	163	FLT-0121	63.50	31.75	0.40	5.987
118	FLT-0082	50.00	15.00		2.228	164	FLT-0122	63.50	50.80	0.40	9.580
119	FLT-0083	50.00	16.00	0.50	2.375	165	FLT-0123	63.50	63.50	0.40	11.976
120	FLT-0084	50.00	20.00	0.50	2.970	166	FLT-0357	64.00	38.00	1.00	7.220
121	FLT-0085	50.00	25.00		3.713	167	FLT-0124	65.00	5.00		0.966
122	FLT-0086	50.00	30.00		4.455	168	FLT-0125	65.00	40.00	0.50	7.721
123	FLT-0087	50.00	35.00	0.50	5.196	169	FLT-0126	67.00	6.00		1.194
124	FLT-0088	50.00	40.10	0.50	0.593	170	FLT-0127	69.85	12.70	0.40	2.635
125	FLT-0089	50.80	6.35		0.958	171	FLT-0128	69.85	69.85	0.40	14.490
126	FLT-0090	50.80	9.53	0.40	1.437	172	FLT-0129	70.00	10.00	0.50	2.078
127	FLT-0092	50.80	12.70	0.40	1.916	173	FLT-0130	70.00	12.00	0.50	2.494
128	FLT-0380	50.80	12.70		1.916	174	FLT-0131	70.00	16.00	0.50	3.325
129	FLT-0093	50.80	19.05	0.40	2.874	175	FLT-0132	70.00	28.00		5.821
130	FLT-0094	50.80	25.40	0.40	3.831	176	FLT-0133	70.00	30.00		6.237
131	FLT-0358	50.80	31.75	0.40	4.789	177	FLT-0134	70.00	50.00	0.50	10.394
132	FLT-0095	50.80	38.10	0.40	5.748	178	FLT-0135	70.50	60.50		12.668
133	FLT-0096	50.80	50.80	0.40	7.664	179	FLT-0136	75.00	5.00		1.114
134	FLT-0097	51.00	4.00		0.605	180	FLT-0137	75.00	12.00		2.673
135	FLT-0098	54.50	6.00	0.50	0.970	181	FLT-0378	76.00	8.00	4.00	1.766
136	FLT-0099	55.00	3.00		0.491	182	FLT-0138	76.00	25.00		5.643
137	FLT-0101	57.00	3.70		0.626	183	FLT-0139	76.20	6.35	0.40	1.437
138	FLT-0102	57.00	20.00	0.50	3.386	184	FLT-0140	76.20	9.53	0.40	2.155



NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)
		A (width)	T (thickness)	R				A (width)	T (thickness)	R	
185	FLT-0141	76.20	12.70	0.40	2.874	231	FLT-0369	98.60	35.30	1.50	10.327
186	FLT-0142	76.20	15.88	0.40	3.594	232	FLT-0178	100.00	2.00		0.594
187	FLT-0143	76.20	19.05	0.40	4.311	233	FLT-0179	100.00	5.00		1.485
188	FLT-0144	76.20	25.40	0.40	5.748	234	FLT-0180	100.00	6.00		1.782
189	FLT-0145	76.20	31.75	0.40	7.185	235	FLT-0181	100.00	8.00	0.50	2.375
190	FLT-0146	76.20	38.10	0.40	8.622	236	FLT-0332	100.00	9.00		2.673
191	FLT-0374	76.20	44.45	0.40	10.060	237	FLT-0182	100.00	10.00		2.970
192	FLT-0147	76.20	50.80	0.40	11.496	238	FLT-0183	100.00	20.00	1.00	5.940
193	FLT-0148	79.00	32.00	0.50	7.508	239	FLT-0184	100.00	20.00		5.938
194	FLT-0361	79.50	6.50	0.50	1.535	240	FLT-0185	101.00	10.00	1.00	2.998
195	FLT-0149	80.00	3.00	1.00	0.711	241	FLT-0186	101.00	43.60	3.00	13.056
196	FLT-0150	80.00	12.00	0.50	2.850	242	FLT-0187	101.60	6.35		1.916
197	FLT-0151	80.00	16.00	0.50	3.801	243	FLT-0188	101.60	9.53	0.40	2.875
198	FLT-0152	80.00	20.00	0.50	4.751	244	FLT-0189	101.60	12.70	0.40	3.831
199	FLT-0330	80.00	6.00	1.00	1.423	245	FLT-0190	101.60	25.40	0.40	7.664
200	FLT-0153	80.00	30.00	0.50	7.128	246	FLT-0191	101.60	31.75	0.40	9.580
201	FLT-0154	80.00	60.00		14.256	247	FLT-0376	101.60	35.30	1.50	10.646
202	FLT-0155	86.00	6.00		1.532	248	FLT-0192	101.60	38.10	0.40	11.496
203	FLT-0156	87.40	15.40		3.997	249	FLT-0193	101.60	50.80	0.40	15.329
204	FLT-0158	88.00	43.60	1.00	11.239	250	FLT-0194	101.60	63.50	0.40	19.161
205	FLT-0159	88.00	58.00	0.50	15.158	251	FLT-0195	101.60	76.20	0.40	22.993
206	FLT-0160	88.20	41.00	2.00	10.729	252	FLT-0196	101.60	88.90	0.40	26.826
207	FLT-0157	88.40	43.60	2.00	11.437	253	FLT-0197	105.00	3.00	1.00	0.934
208	FLT-0161	88.90	6.35	0.40	1.676	254	FLT-0198	106.50	12.50	1.00	3.951
209	FLT-0162	88.90	15.88	0.40	4.192	255	FLT-0370	108.20	5.00		1.607
210	FLT-0363	88.90	19.05	0.40	5.029	256	FLT-0199	114.30	25.40	0.40	8.622
211	FLT-0383	88.90	25.40	0.40	6.706	257	FLT-0200	114.30	31.75		10.778
212	FLT-0373	88.90	31.75	0.40	8.383	258	FLT-0201	114.30	63.50	0.40	21.556
213	FLT-0356	88.90	38.10	0.40	10.060	259	FLT-0202	115.00	5.00		1.708
214	FLT-0163	88.90	63.50	0.40	16.766	260	FLT-0203	116.00	15.00	0.50	5.167
215	FLT-0164	88.90	76.20	0.40	20.119	261	FLT-0204	120.00	3.00		1.069
216	FLT-0165	88.90	88.90	0.40	23.472	262	FLT-0205	120.00	8.00		2.851
217	FLT-0166	89.00	2.00		0.529	263	FLT-0206	120.00	10.00		0.594
218	FLT-0167	89.00	5.00		1.321	264	FLT-0207	120.00	20.00	0.50	7.127
219	FLT-0168	90.00	3.00	1.00	0.802	265	FLT-0208	120.00	26.00	0.50	9.266
220	FLT-0169	90.00	12.00	0.50	3.207	266	FLT-0209	120.00	40.00		13.965
221	FLT-0170	90.00	20.00	0.50	5.345	267	FLT-0210	122.00	3.00		1.087
222	FLT-0171	91.00	21.00		5.675	268	FLT-0211	122.00	10.00		3.623
223	FLT-0313	92.00	7.00		1.913	269	FLT-0212	125.00	5.00	1.00	1.856
224	FLT-0314	92.00	10.00		2.732	270	FLT-0213	125.00	12.00	3.00	4.433
225	FLT-0172	93.00	8.00		2.210	271	FLT-0342	127.00	7.00		2.640
226	FLT-0173	93.00	13.00		3.590	272	FLT-0215	127.00	9.53	0.40	3.593
227	FLT-0174	95.00	3.50		0.987	273	FLT-0216	127.00	12.70	0.40	4.789
228	FLT-0175	95.00	15.00	0.50	4.232	274	FLT-0217	127.00	19.05	0.40	7.185
229	FLT-0176	96.00	60.00	0.50	17.106	275	FLT-0218	127.00	38.10	0.40	14.370
230	FLT-0177	98.00	12.00		3.493	276	FLT-0219	127.00	50.80	0.40	19.161



NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)	NO	DIE NO.	S I Z E (mm)			Unit wei. (KG/M)
		A (width)	T (thickness)	R				A (width)	T (thickness)	R	
277	FLT-0220	127.00	76.20	0.40	28.742	325	FLT-0265	203.20	25.40	0.40	15.329
278	FLT-0221	128.00	28.00		10.645	326	FLT-0266	203.20	38.10	0.40	22.993
279	FLT-0326	130.00	3.00		1.158	327	FLT-0267	203.20	50.80	0.40	30.658
280	FLT-0222	130.00	97.00	0.50	37.451	328	FLT-0268	205.00	66.00	0.50	40.183
281	FLT-0223	132.50	28.00	0.50	11.018	329	FLT-0269	208.00	5.00	0.50	3.089
282	FLT-0224	132.50	32.00	0.50	12.592	330	FLT-0270	210.00	17.00	0.40	10.941
283	FLT-0225	134.00	3.00	F.R	1.188	331	FLT-0352	216.00	12.00		7.698
284	FLT-0226	135.00	10.50	0.50	4.210	332	FLT-0271	220.00	10.00	0.50	6.533
285	FLT-0227	137.00	5.00		2.034	333	FLT-0272	221.00	9.00	0.50	5.907
286	FLT-0228	138.50	12.50		5.141	334	FLT-0273	225.00	11.00	6.00	7.261
287	FLT-0229	139.70	25.40	0.40	10.538	335	FLT-0274	225.00	42.00	0.50	28.065
288	FLT-0230	140.00	3.00		1.247	336	FLT-0275	225.00	51.00	0.50	34.080
289	FLT-0231	140.00	15.00		6.224	337	FLT-0276	230.00	38.00	0.50	25.957
290	FLT-0232	140.00	64.00	0.50	26.610	338	FLT-0277	230.00	55.00	0.50	37.561
291	FLT-0233	140.00	78.00	0.50	32.431	339	FLT-0278	230.00	65.00	0.50	44.400
292	FLT-0234	142.00	15.50	1.00	6.534	340	FLT-0279	237.00	10.00	0.50	7.038
293	FLT-0235	150.00	3.00		1.337	341	FLT-0280	240.00	10.00	0.50	7.127
294	FLT-0236	150.00	6.00		2.673	342	FLT-0281	242.00	3.00		2.156
295	FLT-0237	150.00	10.00		4.418	343	FLT-0359	248.00	6.00		4.420
296	FLT-0238	150.00	15.00	0.50	6.681	344	FLT-0282	250.00	4.00		2.970
297	FLT-0239	150.00	25.00	0.50	11.136	345	FLT-0283	250.00	10.00		7.425
298	FLT-0240	150.00	30.00	0.50	13.364	346	FLT-0284	250.00	30.00		22.275
299	FLT-0241	152.40	6.35	0.40	2.874	347	FLT-0048	254.00	31.75	0.40	23.951
300	FLT-0242	152.40	9.53	0.40	4.313	348	FLT-0285	254.00	38.10	0.40	28.736
301	FLT-0366	152.40	12.70	0.40	5.748	349	FLT-0286	260.00	4.00	0.50	3.088
302	FLT-0243	152.40	15.88	0.40	7.185	350	FLT-0287	263.00	6.00		4.686
303	FLT-0244	152.40	25.40		11.497	351	FLT-0288	265.00	69.00	0.50	54.307
304	FLT-0245	152.40	38.10	0.40	17.245	352	FLT-0289	270.00	25.00	1.00	20.045
305	FLT-0246	152.40	50.80	0.40	22.993	353	FLT-0291	280.00	3.00		2.495
306	FLT-0247	155.00	18.00	0.50	8.285	354	FLT-0290	280.00	10.00	0.50	8.316
307	FLT-0248	156.00	66.00	0.50	30.579	355	FLT-0292	295.00	59.00	0.50	51.692
308	FLT-0249	160.00	10.00	0.50	4.751	356	FLT-0293	300.00	10.00		8.910
309	FLT-0353	163.50	6.00		2.914	357	FLT-0346	300.00	38.00		33.858
310	FLT-0250	165.00	24.50	2.00	11.996	358	FLT-0295	304.80	25.40	0.40	22.993
311	FLT-0251	165.00	85.00	0.50	41.654	359	FLT-0296	310.00	24.00	0.50	22.096
312	FLT-0252	172.00	10.00	0.50	5.107	360	FLT-0297	312.00	11.00	0.50	10.193
313	FLT-0254	180.00	10.50		5.613	361	FLT-0298	350.00	40.00	0.50	41.579
314	FLT-0255	180.00	14.00		7.448	362	FLT-0299	350.00	43.00	0.50	44.697
315	FLT-0327	185.00	20.00	1.00	10.987	363	FLT-0300	350.00	46.00	0.50	47.816
316	FLT-0256	188.00	18.00	0.50	10.050	364	FLT-0301	362.00	10.00	0.50	10.750
317	FLT-0257	188.00	20.50	0.50	11.446	365	FLT-0377	372.00	8.00	4.00	8.798
318	FLT-0258	190.00	4.00		2.257	366	FLT-0302	400.00	10.00	0.50	11.879
319	FLT-0259	198.00	50.00	0.50	29.393	367	FLT-0341	409.00	8.00	0.50	9.717
320	FLT-0260	200.00	26.00	2.00	15.434	368	FLT-0304	410.00	9.00		10.959
321	FLT-0261	200.80	2.50		1.491	369	FLT-0303	420.00	11.00		13.721
322	FLT-0262	203.20	6.35		3.832	370	FLT-0305	432.00	5.20	1.00	6.669
323	FLT-0263	203.20	9.53	0.40	5.751	371	FLT-0306	450.00	15.00	1.00	20.045
324	FLT-0264	203.20	12.70	0.40	7.664	372	FLT-0307	450.00	18.00	0.50	23.254